

Supplementary table 4: C-peptide levels during the oral glucose tolerance test for all 17 investigated subjects. Values are presented as mean \pm SEM.

Time (min)	1st trimester		3rd trimester		Post-partum	
	C-peptide (pmol/L)	Glucose (mmol/l)	C-peptide (pmol/L)	Glucose (mmol/l)	C-peptide (pmol/L)	Glucose (mmol/l)
0	10.1 \pm 4.4	7.8 \pm 0.7	10.1 \pm 4.8	7.5 \pm 0.6	10.9 \pm 5.9	8.5 \pm 0.7
30	18.6 \pm 10.2	12.2 \pm 0.8	14 \pm 7.1	11.2 \pm 0.8	16.2 \pm 8.1	12.8 \pm 0.7
60	26.8 \pm 15.6	16.7 \pm 0.8	23.4 \pm 12.4	14.4 \pm 0.8	29.2 \pm 17.2	17.0 \pm 0.8
90	30.8 \pm 17.6	17.9 \pm 0.7	32.3 \pm 18.6	16.1 \pm 0.7	33.4 \pm 18.6	19.6 \pm 0.8
120	35.2 \pm 20.1	17.7 \pm 0.8	39.7 \pm 22.8	15.6 \pm 0.6	34.7 \pm 19	19.5 \pm 0.8
Peak value	35.9 \pm 20.3	18.5 \pm 0.8	40.1 \pm 22.7	16.6 \pm 0.6	35.1 \pm 18.9	20.2 \pm 0.8