


# Correction: Treatment patterns and satisfaction in patients with type 2 diabetes newly initiating oral monotherapy with antidiabetic drugs in Japan: results from the prospective Real-world Observational Study on Patient Outcomes in Diabetes (RESPOND)

Tajima A, Tobe K, Eiki J, *et al.* Treatment patterns and satisfaction in patients with type 2 diabetes newly initiating oral monotherapy with antidiabetic drugs in Japan: results from the prospective Real-world Observational Study on Patient Outcomes in Diabetes (RESPOND). *BMJ Open Diabetes Res Care* 2022;10:e003032. doi: 10.1136/bmjdr-2022-003032

This article is updated since it was first published. The figure 1 part B is updated as given below:



OPEN ACCESS

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

*BMJ Open Diab Res Care* 2023;11:e003032corr1. doi:10.1136/bmjdr-2022-003032corr1

