





Supplementary figures s1 - s5





Supplementary figure 1. Age and sex stratified incidence rates of carpal tunnel syndrome between 2010 and 2019. Note different scales on the y-axis. For population demographics, see table 1. DM; diabetes mellitus, T1D; Type 1 diabetes, T2D, type 2 diabetes.





Supplementary figure 2. Age and sex stratified incidence rates of ulnar nerve entrapment between 2010 and 2019. For population demographics, see table 1. DM; diabetes mellitus, T1D; Type 1 diabetes, T2D, type 2 diabetes.



Supplementary figure 3. Age and sex stratified incidence rates of trigger finger between 2010 and 2019. Note different scales on the y-axis. For population demographics, see table 1. DM; diabetes mellitus, T1D; Type 1 diabetes, T2D, type 2 diabetes.



Supplementary figure 4. Age and sex stratified incidence rates of Dupuytren's disease between 2010 and 2019. For population demographics, see table 1. DM; diabetes mellitus, T1D; Type 1 diabetes, T2D, type 2 diabetes.



Supplementary figure 5. Age and sex stratified incidence rates of osteoarthritis of the CMC-1 joint between 2010 and 2019. Note different scales on the y-axis. For population demographics, see table 1. CMC-1; first carpometacarpal, DM; diabetes mellitus, OA; Osteoarthritis, T1D; Type 1 diabetes, T2D, type 2 diabetes.